

TELIA MEDIA SERVICES

**SELF-SERVICE CLOUD VIDEO
PLATFORM**

**GLOBAL
HIGH-PERFORMANCE CDN**

**PROFESSIONAL TV CHANNEL
BUILDING**

**MANAGED VIDEO SERVICES
AND CO-DEVELOPMENT**



ABOUT TELIA

We're **Telia Company**, the New Generation Telco. Together with our customers, we are the hub in the digital ecosystem, bringing people, companies and societies closer what really matter to them.

Our approximately 20,000 talented colleagues serve millions of customers every day in one of the world's most connected regions. With a strong connectivity base, we're the hub in the digital ecosystem, empowering people, companies and societies to stay in touch with everything that matters 24/7/365 - on their terms. Headquartered in Stockholm, the heart of innovation and technology, we're set to change the industry and bring the world even closer for our customers.

ABOUT TELIA IN LATVIA

Telia Latvia (hereinafter – TELIA), a 100% subsidiary of Telia Company in Latvia, has been a trusted partner for many local and international companies in the business technologies segment. TELIA is one of the leading telecommunication service providers in Latvia for enterprise (B2B) segment, having implemented internet and data transmission solutions for its customers throughout Latvia and nearby region. TELIA can be proud of its constant communication network across the globe that has been developed thanks to a special Telia Company network division - Telia Carrier AB, nowadays the No.1 IP transit operator globally.

By enlarging the range of services, TELIA built one of the most modern data centres in the Baltics. TELIA operates the data centre since 2011, as well as is the first in the Baltic region to begin offering the latest generation advanced level cloud computing and virtual networking services based in this and other TELIA's data centers.

Recognizing the increasing share of video in the overall Internet traffic and having observed the massive shift from linear TV to consumption of OTT/on-demand content, TELIA has developed an easy to use, self-service, yet powerful and intuitive video platform, integrated to TELIA global CDN network for best content delivery, as well invested into R&D and competencies. Advanced technologies integrated into a single platform, dedicated support, flexible customization options, competitive pricing, global reach, continuous development and co-designing together with customers is what places TELIA in a unique position in the market.

TEAM OF EXPERTS

Out of nearly 20 000 employees employed by Telia Company in various countries, 47 highly skilled professionals are employed directly by TELIA in Latvia, most of whom are experts in their respective field of expertise – network, cloud and server infrastructure administration, software development, solution design, IT security, IP capacities and peering, helpdesk, monitoring, etc.

Most TELIA employees have received independent certification in their respective areas. We employ numerous Cisco Certified Network Professionals; Microsoft, Vmware, CloudStack professionals; Certified Linux and Windows administrators.

Telia Media Services division is involved in delivering OTT projects and services since 2010. We have obtained significant experience with streaming technologies and develop our own parts of the content management backend.

WE ARE TRUSTED BY



CONTACTS:



Mārtiņš Pauris

Member of the Board (Commercial Director, CCO)

Ph.+371 67082190 e-mail:

martins.pauris@telia.lv



Norberts Osītis

Head of Product Management Ph. +371
67082114

e-mail: norberts.ositis@telia.lv

TELIA MEDIA SERVICES

Telia Media Services (TMS) is a range of services aimed at online video and website content hosting, processing and delivery. It consists of Telia CDN, a global content delivery network and Telia Video Cloud, an OTT video platform and service.

TELIA CONTENT DELIVERY NETWORK (CDN)

Telia CDN is a cloud service provided in partnership with Verizon Digital Media Services (known also as Edgecast) that brings speed, scale and security to any web content, be it website, web-based service or media streaming, resulting in faster content load speed, a better user experience and no worries about large traffic peaks. It prevents your site or streaming service from failing under heavy load or even attacks and scales the origin infrastructure to a global cloud network reaching 50 Tbps of global network capacity in over 125 locations on 6 continents and hundreds of teraflops of computing power. Telia guarantees 100% availability of the CDN service including 24x7 monitoring and issue resolution.

In the early days, the ideal CDN topology was a highly distributed tv network using a large number of servers and nodes to provide extensive last-mile coverage. Today, this type of highly distributed network is no longer necessary. Content is uniform and highly personalized. Internet access is available from broadband ISPs through cable, fiber and wireless. ISPs and carriers are more highly interconnected than ever. Legacy CDNs have become inefficient and expensive to maintain, and each small point of presence (PoP) can easily become overwhelmed by traffic spikes.

Telia's CDN addresses the realities of today's internet through its modern architecture and efficient network technologies. Our technology evolves with the internet, resulting in the highest performance of any CDN on the market, as much as 30 percent faster than the competition.

Architecture of the CDN

CDNs improve performance by shortening the delivery route for communications over the internet. Rather than serving content from a distant origin server, CDNs serve content from an edge server based on physical proximity to the user. The goal is to reduce latency and page-load time. Our CDN has optimized this concept for the modern internet landscape.

Centralized distribution topology

Instead of the legacy CDN approach that scatters tens of thousands of small PoPs across the globe, we strategically place Super PoPs with massive computing power and high-bandwidth capacity at dense internet exchange points. A Super PoP is a data center that serves one or more key geographic regions and contains all the types of edge servers that provide our services: cache network, web acceleration service, streaming services, route servers and our PCI-complaint network. Each of our Super PoPs interconnects with peering and routing partners to achieve faster speeds and higher redundancy than our competition.

Highest cache-hit ratio

When a user requests content (e.g. videos, images, files, etc.) that is not cached within the CDN, the edge server must make a request to the website owner's origin server to obtain a copy of the content. This "cache-miss" scenario is undesirable because the user loses the performance benefits of a CDN. The highly distributed architecture of legacy CDNs doesn't work well with highly personalized content, resulting in tens of thousands of cache misses and a severely degraded user experience.

In contrast, our architecture improves performance by enabling more requests to be served from cache (a “cache hit”). Our Super PoPs are engineered for horizontal scalability to enable load balancing at the application layer. Hundreds of powerful servers within each Super PoP work together as one highly efficient infrastructure that stores each object only once, resulting in a larger usable cache. The result: significantly improved cache-hit ratios.

Best server-to-delivery ratio

Because our CDN is cloud based, it allows you to meet surges in demand without over provisioning your equipment and capacity. By concentrating massive computing capacity and bandwidth, each Super PoP handles enormous traffic spikes without performance degradation, resulting in the best server-to-delivery ratio of any CDN.

Superior reliability and capacity

Centralized distribution combined with horizontal scaling also provide greater fault tolerance. Our proprietary design offers redundancy that allows our CDN to withstand DDoS attacks and recover from hardware failures.

We always ensure that our CDN runs on 50% capacity on its network, this is achieved by proactive monitoring of traffic conditions, our open peering policies, peering relationships and real time traffic shaping capabilities.

Network connections and interconnections

Our routing and network technologies further improve performance by providing the most efficient transport path.

Efficient Anycast routing

Our CDN uses Anycast to identify which Super PoP should serve content for any particular user. Anycast is a network addressing and routing methodology that allows multiple Super PoPs to use a single IP address when receiving requests over the internet. Each request uses network hops from a routing table to find the closest Super PoP. This technique eliminates the need for sluggish geo-based DNS look-ups or multiple recursive Domain Name System queries required by legacy CDNs.

Network resiliency

Our CDN ensures network resiliency by redirecting traffic away from congested points on the network, such as routers, backbones or down edge servers. Using proprietary self-healing technology, our CDN performs self-diagnostics and automates network failovers instantly and seamlessly.

Minimal latency

Our CDN interconnects with more than 3,000 carriers and ISPs to expand our global footprint and ensure that content gets to users with the least possible latency. We continually increase this capacity; over the last 3 years, we’ve invested more than \$190 million and grown our network by over 340 percent.

Patented caching algorithm

Our patented caching algorithm ensures the most efficient caching strategy for consistently high cache-hit ratios. In addition, our dynamic acceleration technology determines optimal TCP (Transmission Control Protocol) congestion window size to find the optimal balance between performance and stability.

Customizable delivery strategies

Instead of a one-size-fits-all solution for delivery and acceleration, different customizable delivery strategies are applied for different types of objects, e.g., videos, large files, small objects, etc.

Continuous enhancements

We're continually working to incorporate new technologies and address emerging challenges with our commitment to a 12-18 month evolution cycle. Our entire network has been completely revamped multiple times and is currently in its seventh generation. We're continually deploying the latest hardware to deliver better performance.

Advanced features

CDN provides advanced features that provide the means to optimize and secure the content delivery.

Origin Shield

Origin Shield establishes an additional gateway between the origin server, edge servers and customer devices in order to protect the origin from:

- Direct to origin denial of service attacks - some DDoS attacks can be designed to directly target origin server using its IP address. With Origin Shield, specific IP addresses can be whitelisted to ensure only legitimate traffic from approved sources reaches the origin.
- Spikes in traffic reaching the origin e.g. dynamic content requests. The additional gateway aggregates all requests to the origin and provides an additional layer of caching. It also applies TCP optimization and persistent connections to sites with a lot of dynamic content.

Origin Shield is enabled by default for TMS platform origin servers. It is highly recommended for all media delivery scenarios as it significantly reduces the load on origin and increases the cache efficiency.

Token Authentication

A mechanism to create a per user unique hash to secure content on the CDN platform thus preventing unauthorized access to HTTP assets. Primarily used to prevent hot linking to protected documents and media streams.

TMS platform adds tokens to media asset streams if requested to do so. CDN token check is configured according to customer requirements.

HTTPS content delivery (SSL certificates)

In order to deliver via HTTPS, the streaming domain has to be listed on an SSL certificate that is deployed on the CDN edge servers. SSL certificates are provided by default for TMS customers.

Rules Engine

Configuration of rules to modify components of HTTP requests and responses in the CDN based on different criteria in order to:

- Reduce bandwidth costs by specifying "origin pull" update intervals for each URL or object.
- Reduce load on origin servers by offloading processing of existing business rules.
- Improve content security by blocking hotlinking and other in-line leeching of content.

Provides control of URL (method/host/path/file/querystring) and headers (cookies, time-to-live [TTLs], response code, etc.). Geo-location rules include configure access based on geographical locations.

For TMS customers rules are created by TMS administrators. Video content delivery is optimized by default in the platform but may be adjusted upon customer requests.

TELIA CLOUD PLAYOUT


Telia partners with Veset to provide all-in-one TV channel playout solution in the cloud.

Any type of TV channel can be produced with the cloud playout. You can have a full scale 24/7 TV channel, a popup channel for the specific event or a backup playout for redundancy with your main playout system.

Line up the content from media files or live sources, add graphics and send the resulting stream to the CDNs, ISPs or satellite base station for delivery to your viewers.

TELIA VIDEO CLOUD

Telia Video Cloud consists of a set of components. Any relevant subset of components may be used and mixed with customer's systems where it is technologically feasible.



Content Ingest

Live channel content is ingested over IP network from customer's playout into TMS servers. Supported protocols are RTMP, UDP uni-/multi-cast, SRT (Secure Reliable Transfer), HLS (Apple HTTP Live Streaming). Multiple bitrate stream and multiple audio language ingest is supported.

To provide stable live content ingesting Telia will setup a dedicated data transmission channel into existing TMS servers.

VoD content can be ingested in several different ways. Simplest way is FTP upload which allows certain automation, for instance grouping of video, audio, subtitle and metadata files into a single compound video asset, categorizing assets and limited automatic transcoding.

More advanced upload is possible with TMS API where all uploading options are available. Content is pulled from the customer source servers over FTP or HTTP and all supported options and automation can be applied.

Live Transcoder

TMS live transcoder takes the ingested live channel as input and transcodes it into the required number of profiles. AVC (h.264) protocol is used for most customers and HEVC (h.265) is supported. Resolutions up to 4K (2:1 4096x2048 or 16:9 3840x1920) are supported at framerates up to 60 fps.

Media Transcoder

Media assets ingested into TMS may be played back directly if they are in mp4 or mov formats. TMS recording or full adaptive bitrate channel for TV catch-up service. Recording the adaptive channel allows to publish the recording immediately without transcoding it.

Recordings may be done based on fixed time intervals or EPG schedule. Fixed time intervals can be 30 minutes, 1, 2 or 4 hours which is suitable for TV channel compliance recording. Other values are possible as well.

EPG schedule can be created manually in the web interface, loaded from XMLTV format file, loaded over API or from Veset Nimbus playout system. Integration with other playout systems supporting REST API is possible.

Packager

TMS on-the-fly packager creates Apple HLS and MPEG-DASH streams from live and VoD sources. Both formats are supported simultaneously. If DRM is enabled for the channel or VoD asset, it is applied during packaging. The packager supports timeshift functionality.

Origin

Our origin servers are designed to support increased demand during the peak hours with most of the popular traffic cached in the CDN. As amount of the content in the system is constantly increasing to maintain the origin capacity we scale by adding new servers.

Advertisements

Client-side ad integration with 3rd party VAST or VPAID services is provided for AVoD monetization scenarios. Pre-/mid-/post-rolls at different content lengths are available for live and on-demand content.

DRM

Widevine and Playready are supported natively by TMS. Apple Fairplay support is possible but due to Apple policy holder of the content rights has to acquire the necessary encryption means. DRM encryption is applied during packaging.

DRM functionality usually needs to be integrated with subscriber authentication system. It needs detailed specification to design a proper workflow, but it is possible to create such, and TMS API is ready for generic integration.

Content/Media Asset Management system

TMS main component is the web-based self-service content and media asset management system. CMS/MAM manages all other system components and supervises the processes.

Some of TMS service components are not available in self-service manner. For those we provide the managed service as well as for customized solutions that most large customers usually need.

API

TMS REST API reflects functions and processes implemented in the whole system. API calls can be made to list, update and delete data, initiate processes and other tasks. API is documented and available to customer.

Analytics

Default analytics in the TMS is based on CDN logs which represent the usage of the service. Such analytics is available through the TMS web interface.

Google Analytics is integrated into the embed code player and registers player video events. Advanced GA services may be necessary to purchase from Google in case of large volume usage.

Additional optional advanced analytics tools are available. Currently the integration with NPAW Youbora is done. Other services like Conviva or similar can be added upon request.

Embed Code

Embeddable iframe is provided for all content. It is configurable and customizable to adjust to different needs. The industry leading HTML5 player by THEOplayer is used in the embed code and is compatible with most systems – computers, mobile devices, smart TVs, set-top-boxes and other.

Frontend Website

TMS platform comprises components to create customer facing website and integrate payment gateways, or implement some parts of them, e.g. those necessary for content monetization.

Integration with 3rd party frontend solutions is provided via our API or custom development on TMS side. Our customers have different type of frontend applications, e.g. website, set-top-box middleware, Android, Android TV, iOS, Apple TV, smart TV and game console applications.

INTEGRATIONS WITH EXTERNAL SYSTEMS

Possible integrations with other systems are listed below. There are two types of integrations – thirdparty systems interacting with TMS API or TMS interacting with third-party systems.

External systems interact with TMS in several ways. The most automated way which requires coding on the client's side is integration on API level to manage TMS objects and processes. Adding new functions to API is considered as our responsibility and we do this at no extra cost.

Content ingest to FTP server is another integration option which can be used both for human centered and automated processes.

TMS also can interact with external systems but that requires custom development and detailed specification to design such integration properly. We have extensive experience in developing such integrations, for example:

Customer origin integration with CDN

If customer has content on its own HTTP/HTTPS origin it may be integrated with CDN. Custom caching, security and processing rules can be created.

Subscriber management integration

Before opening the embed code player it is possible to validate the user session and in case it is not logged in, forward it to the login page. Before DRM allows the content to be decrypted a series of checks are performed with user validation among these.

Content management system

Though typically external CMS reads the lists and data from the TMS API it is also possible to integrate in the opposite way – TMS can update the external CMS and add, update and delete the references to the content and its data.

External analytics systems

Two types of external integration are possible. Export of CDN access logs and upload via FTP or another upload method is possible. This allow to analyze all requests towards the CDN, but it is not possible to identify user sessions from these.

For deeper use experience analysis integration on the player level is possible. Analytics systems like Conviva or NPAW have special plugins that work on Javascript level in the embed code and feed the data into their respective systems for analysis.

EPG fetch from payout or external source

While external system can upload EPG data via API we can also fetch this data from external sources. Advanced payout systems typically provide their timelines over API. Another option is reading the XML file from external link specified by customer or integrating via external API.

Source storage

TMS can integrate into customer's storage to monitor for incoming files in the FTP folder, read the downloadable asset list through API call or from remote XML file. Also, it is possible to implement rsync scenarios to synchronize content directories. This is used mostly during migration phases.

SUPPORT AND SLA

All Telia Media Services systems are redundant and have 100% uptime guarantee.

Telia Premium support covers all issues that may arise during service usage and degrade the system performance or usage. Premium support works 24 hours a day, 7 days a week all year around.

Amount of opened support cases and hours is not limited. Support is provided over the phone and email.

As TMS is a cloud service operational support at customer's premises is not necessary. All technologies are located in data centers that either have Telia personnel on-site or remote hands agreements with data center operators who provide necessary support to replace faulty devices. Monitoring and management of all technologies is done remotely by Telia or Verizon personnel.

Support cases have criticality levels:

Urgency	Response Time	Description	Status updates	Effort
Critical	15 min	Customer business is severely impacted and needs immediate resolution; several system functions not working; workaround not possible; needs resolution ASAP.	Hourly	24/7/365
High	60 min	Customer business is partly impacted; one system function is not working; workaround not possible; needs resolution expeditiously.	4 hours	24/7/365
Medium	120 min	Performance is degraded; workaround is possible.	24 hours	24/7/365
Low	Best effort	Minor problem/change request	When complete	Business hours

www.teliamediaservices.com